

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2233	709/213	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:08
L2	2723	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L3	355	L2 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L4	355	L3 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L5	355	L3 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L6	246	L5 and (input ingress) and (output engress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L7	199	L6 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L8	2	L7 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L9	184	L7 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

L10	2	L9 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L11	30	L9 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L12	0	L11 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L13	30	L9 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L14	30	L11 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L15	16	L11 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L16	11	"6687247"	USPAT	OR	OFF	2006/03/17 18:09
L17	11	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L18	2723	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L19	11	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

L20	7	"6724757"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L21	30	router\$2 with couple with (interface near10 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L22	16	L21 and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L23	876	(server with interface with card\$2) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L24	93	(server with interface with card\$2) and (server with rout\$4 with table) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L25	22	"5948069"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L26	1	"5948069" and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L27	0	"5948069" and L24 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L28	0	"5948069" and L24 and (fail near10 over)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L29	0	"5948069" and L24 and (fail\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

L30	354	(server with NICs) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L31	21	L30 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L32	354	(server with NICS) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L33	8358	3and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L34	21	L32 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L35	3	"6553408" and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
L36	3	"6553408" and failover and NICS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S1	1889	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 11:08
S2	231	S1 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S3	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19

EAST Search History

S4	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S5	167	S4 and (input ingress) and (output engress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S6	139	S5 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:38
S7	1	S6 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:32
S8	127	S6 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S9	1	S8 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S10	23	S8 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S11	0	S10 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S12	23	S10 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S13	16	S10 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02

EAST Search History

S14	1	"6687247"	USPAT	OR	OFF	2004/12/02 10:48
S15	2	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43
S16	2163	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/05 10:30
S17	6	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/29 09:32
S18	5	"6724757"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/29 09:32
S19	30	router\$2 with couple with (interface near10 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 11:09
S20	16	S19 and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:27
S21	876	(server with interface with card\$2) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:35
S22	93	(server with interface with card\$2) and (server with rout\$4 with table) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:56
S23	22	"5948069"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:56

EAST Search History

S24	1	"5948069" and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S25	0	"5948069" and S22 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:17
S26	0	"5948069" and S22 and (fail near10 over)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S27	0	"5948069" and S22 and (fail\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S28	354	(server with NICs) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S29	21	S28 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:49
S30	354	(server with NICS) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S31	8358	3and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S32	21	S30 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S33	3	"6553408" and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:50

EAST Search History

S34	3	"6553408" and failover and NICS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:08
-----	---	---------------------------------	---	----	----	------------------